CURRICULUM VITAE

Hong Zhang, Ph.D.
HHMI International Early Career Scientist
State Key Laboratory of Biomacromolecules,
Institute of Biophysics, Chinese Academy of Sciences,
15 Datun Road, Chaoyang District,
Beijing, P.R. China, 100101

Phone: 86-10-64848238

E-mail: hongzhang@sun5.ibp.ac.cn

Appointments:

Investigator
Institute of Biophysics, Chinese Academy of Sciences, Beijing (March 2012 to present)

Associate Investigator National Institute of Biological Sciences, Beijing (September 2009 to March 2012)

Assistant Investigator National Institute of Biological Sciences, Beijing (July 2004 to September 2009)

Instructor

Massachusetts General Hospital Cancer Center, Harvard Medical School (March 2004 to July 2004)

Education:

Massachusetts General Hospital Cancer Center, Harvard Medical School Research Fellow, February 2001 to March 2004

Department of Molecular Genetics, Albert Einstein College of Medicine Ph.D. in Molecular Genetics, January 2001

Beijing Institute for Cancer Research, Beijing Medical University M.S. in Tumor Biology, July 1994

Department of Biochemistry, Anhui University B.S. in Biochemistry, July 1991

Awards and Honors:

HHMI International Early Career Scientist Award, 2012

Lilly-Asian Scientific Excellence Award, 2006

Burroughs Wellcome Fund Career Awards in the Biomedical Sciences, 2005

Massachusetts General Hospital Fund for Medical Discovery (FMD) Award, 2004

Major Professional Activities:

Editorial Board Member, *EMBO reports*, 2013-Associate Editor, *Autophagy*, 2012-Editorial Board Member, *JBC*, 2011-Editorial Board Member, *Protein & Cell*, 2010-Editorial Board Member, *Autophagy*, 2009-2012

Ad hoc reviewer for Nature, Nature Cell Biology, Development, Molecular Biology of the Cell, Developmental Biology, Developmental Dynamics, Autophagy, JBC, Cell Death and Differentiation, Cell Research.

Publications:

Zhao, Y.G., Zhao, H.Y., Miao, L., Wang, L., Sun, F. and **Zhang, H.** (2012) The p53-induced gene *Ei24* is an essential component of the basal autophagy pathway. (in press).

Huang, J., Wang, H.B., Chen, Y.Y. Wang, X.X., and Zhang, H. (2012) Residual body removal

- Jenuwein, T., Han, J.D. (2011) Histone demethylase UTX-1 regulates *C. elegans* life span by targeting the insulin/IGF-1 signaling pathway. 14, 161-172.
- Lu, Q., Yang, P.G., Huang, X.X., Hu, W.Q., Guo, B., Wu, F., Lin, L., Kovács, A.L., Yu, L. and **Zhang, H.** (2011) The WD40 repeat PtdIns(3)P-binding protein EPG-6 regulates progression of omegasomes to autophagosomes. 21, 343-357. (selected as "**Must Read**" for).
- Huang, X.X., Zhang, H. and **Zhang, H.** (2011) The zinc-finger protein SEA-2 regulates larval developmental timing and adult life span in *C. elegans*. 138, 2059-2068.
- Yang, P.G. and **Zhang, H.** (2011) The coiled-coil domain protein EPG-8 plays an essential role in the autophagy pathway in *C. elegans*. 7, 159-165.
- Ren, H.Y. and **Zhang, H.** (2010) Wnt signaling controls temporal identities of seam cells in *Caenorhabditis elegans*. 345, 144-155.
- Tian, Y., Li, Z.P., Hu, W.Q., Ren, H.Y., Tian, E, Zhao, Y., Lu, Q., Huang, X.X., Yang, P.G., Li, X., Wang, X.C., Kovács, A.L., Yu, L. and **Zhang, H.** (2010) *C. elegans* screen identifies autophagy genes specific to multicellular organisms. 141, 1042-1055. (Previewed as a leading edge finding in the same issue of Baehrecke; selected as "**Exceptional**" for thighlighted by Felix Cheung in **Nature China**).
- Huang, X.X., Tian, E, Xu, Y.H., and **Zhang, H.** (2009) The *C. elegans engrailed* homolog *ceh-16* regulates the self-renewal expansion division of stem cell-like seam cells. 333, 337-347.
- Xia, D., Huang, X.X., and **Zhang, H.** (2009) The temporally regulated transcription factor *sel-7* controls developmental timing in *C. elegans*. 332, 246-257.
- Tian, E, Wang, F.X., Han, J.H., and **Zhang, H.** (2009) *epg-1* functions in autophagy-regulated processes and may encode a highly divergent Atg13 homolog in *C. elegans*. 5, 608-615.
- Zhao, Y., Tian, E, and **Zhang, H.** (2009) Selective autophagic degradation of maternally-loaded germline P granule components in somatic cells during *C. elegans* embryogenesis. 5, 717-719.
- Zhang, Y.X., Yan, L.B., Zhou, Z., Yang, P.G., Tian E, Zhang, K., Zhao, Y., Li, Z.P., Song, B., Han, J.H., Miao, L., and **Zhang, H**. (2009) SEPA-1 mediates the specific recognition and degradation of P granule components by autophagy in *C. elegans*. 136, 308-321. (Previewed as a leading edge finding in the same issue of by Eric Baehrecke; selected as "**Must Read**" for highlighted by Nathalie Le Bot in **Nature Cell Biology 2009; 11, 246**; highlighted by Jane Qiu in **Nature China**)

- Cai, Q.C., Sun, Y.Y., Huang, X.X., Guo, C., Zhang, Y.X., Zhu, Z.Y., and **Zhang, H.** (2008) The *Caenorhabditis elegans PcG*-like gene *sop-2* regulates the temporal and sexual specificities of cell fates. 178, 1445-1456.
- Deng, H., Xia, D., Fang, B., and **Zhang, H.** (2007) The Flightless I homolog, *fli-1*, regulates anterior/posterior polarity, asymmetric cell division and ovulation during *Caenorhabditis elegans* development. 177, 847-860.
- Xia, D., Zhang, Y.X., Huang, X.X., Sun, Y.Y., and **Zhang, H**. (2007) The *C. elegans* CBFbeta homolog, BRO-1, regulates the proliferation, differentiation and specification of the stem cell-like seam cell lineages.

 309, 259-272.
- Deng, H., Sun, Y., Zhang, Y., Luo, X., Hou, W., Yan, L., Chen, Y., Tian, E., Han, J., and **Zhang, H.** (2007) Transcription factor NFY globally represses the expression of the *C. elegans* Hox gene *Abdominal-B* homolog *egl-5*. 308, 583-592.
- Yang, Y., Sun, Y.Y., Luo, X., Zhang, Y.X., Chen, Y.Y., Tian, E, Lints, R., and **Zhang, H.** (2007) *Polycomb*-like genes are necessary for specification of dopaminergic and serotonergic neurons in *Caenorhabditis elegans*. 104, 852-857.
- Zhang, T.T., Sun Y.Y., Tian, E, Deng, H.S., Zhang, Y.X., Luo, X., Cai, Q.Q., Wang, H., Chai, J.J., and **Zhang, H.** (2006) RNA-binding proteins SOP-2 and SOR-1 form a novel PcG-like complex in *C. elegans*. 133, 1023-1033.
- **Zhang, H.,** Christoforou, A., Aravind, L., Emmons, S.W., van den Heuvel, S., and Haber, D.A. (2004) The *C. elegans Polycomb* gene *sop-2* encodes an RNA binding protein. 14, 841-847.
- **Zhang, H.,** Smolen, G., Palmer, R., Christoforou, A., van den Heuvel, S., and Haber, D.A. (2004) SUMO modification is required for *in vivo* Hox gene regulation by the *Caenorhabditis elegans* Polycomb group protein SOP-2. 36, 507-511.
- **Zhang, H.,** Palmer, R., Gao, X., Kreidberg, J., Gerald, W., Hsiao, L., Jensen, R.V., Gullans, S.R., and Haber, D.A. (2003) Transcriptional activation of placental growth factor by the forkhead/winged helix transcription factor FoxD1.

 13, 1625-1629.
- **Zhang, H.,** Azevedo, R.B., Lints, R., Doyle, C., Teng, Y., Haber, D., and Emmons, S.W. (2003) Global regulation of Hox gene expression in *C. elegans* by a SAM domain protein. 4, 903-915.
- Palmer, R.E., Lee, S.B., Wong, J.C., Reynolds, P.A., **Zhang, H.,** Truong, V., Oliner, J.D., Gerald, W.L., and Haber, D.A. (2002) Induction of BAIAP3 by the EWS-WT1 chimeric fusion implicates regulated exocytosis in tumorigenesis. 2, 497-505.
- **Zhang, H.,** and Emmons, S.W. (2002) *C. elegans unc-37/groucho* interacts genetically with components of the transcriptional mediator complex. 160, 799-803.

- **Zhang, H.,** and Emmons, S.W. (2001) The novel *C. elegans* gene *sop-3* modulates Wnt signaling to regulate Hox gene expression. 128, 767-777.
- **Zhang, H.,** and Emmons, S.W. (2000) A *C. elegans* mediator protein confers regulatory selectivity on lineage-specific expresm

- 17. The Inaugural Xiamen Winter Symposium, Xiamen, February 21, 2011
- 18. Institute of Biological Sciences, Academia Sinica, Taipei, Taiwan, December 21, 2010
- 19. Symposium on *C. elegans* development and aging, National Taiwan University, December 18, 2010
- 20. 1st Sino-Japan symposium on autophagy, Xi'an, October 15, 2010
- 21. 2010 National Symposium of Developmental Biology, Beijing, September 17, 2010
- 22. Department of Physiology and Cell Biology, Tokyo Medical and Dental University (at Tokyo), Japan, July 14, 2010
- 23. Honor lecture at the Cell Research Award Ceremony, Shanghai, July 8, 2010
- 24. College of Life Sciences, Nankai University, Tianjing, June 28, 2010
- 25. 10th Annual Meeting of the Protein Science Society of Japan (at Sapporo), June 16, 2010
- 26. Frontiers in Developmental, Stem cell and Systems Biology Symposium, Beijing, May 12, 2010
- 27. Department of Anatomy, Cell and Developmental Biology, Eötvös Loránd University, Budapest, Hungary, May 3, 2010
- 28. Gordon Research Conference, Autophagy in Stress, Development & Disease, Italy, April 26, 2010
- 29. Institute of Genetics and Developmental Biology, Chinese Academy of Sciences, April 7, 2010
- 30. RIKEN, Center for Developmental Biology, Japan, September 30, 2009
- 31. 5th International Symposium on Autophagy, Japan, September 25, 2009
- 32. Department of Molecular Microbiology and Immunology, Keck School of Medicine, University of Southern California, June 26, 2009
- 33. Department of Life Science, Changgung University, Taiwan, June 19, 2009
- 34. Institute of Molecular Medicine, Peking University, May 7, 2009
- 35. Molecular Mechanisms of Developmental Timing (HHMI Janelia Farm Research Campus), May 2008
- 36. CAS International Symposium on Model Organisms and Diseases (Beijing), October 2006
- 37. 15th International *C. elegans* Meeting (Los Angeles, California), July 2005